

Deborah L. Clark, Purchasing Agent

1149 Pearl Street 1st Floor, Beaumont, TX 77701 OFFICE MAIN: (409) 835-8593 FAX: (409) 835-8456

#### Addendum to IFB

**IFB NUMBER:** IFB 24-058/MR

**IFB TITLE:** Jefferson County 2024 Concrete Road Repair Project

IFB DUE BY: 2:00 pm CT, Tuesday, October 8, 2024

**ADDENDUM NO.:** 2

**ISSUED (DATE):** October 2, 2024

**To Bidder:** This Addendum is an integral part of the IFB package under consideration by you as a Bidder in connection with the subject matter herein identified. Jefferson County deems all sealed bids to have been proffered in recognition and consideration of the entire IFB Specifications Package — *including all addenda*. For purposes of clarification, **receipt of this present Addendum by a Bidder should be evidenced by returning it (signed) as part of the Bidder's sealed bid submission.** If the bid submission has already been received by the Jefferson County Purchasing Department, Bidder should return this addendum in a separate sealed envelope, clearly marked with the IFB Title, IFB Number, and IFB Opening Date and Time, as stated above.

Reason for Issuance of this Addendum: Clarifications, Additions to Specifications and updated Bid Form. Please note, all changes to the Specification Details also applies to the Drawings.

The information included herein is hereby incorporated into the documents of this present bid matter and supersedes any conflicting documents or portion thereof previously issued.

Receipt of this Addendum is hereby acknowledged by the undersigned Respondent:

ATTEST:

Authorized Signature (Respondent)

Witness

Title of Person Signing Above

Witness

Typed Name of Business or Individual

Approved by \_\_\_\_ Date: \_\_\_\_\_



Deborah L. Clark, Purchasing Agent

1149 Pearl Street 1<sup>st</sup> Floor, Beaumont, TX 77701 OFFICE MAIN: (409) 835-8593 FAX: (409) 835-8456

- 1. In "Section 5: General Notes and Bid Item Notes", TXDOT Item 100: We added "Tree Removal is only to be performed as directed by the County Engineer. This item may or may not be used." This is found on page 46 of the Bid Specification Packet.
- 2. In "Section 5: General Notes and Bid Item Notes, TXDOT Item 361: Repair of Concrete Pavement" we added "Work associated with this item shall also meet requirements of TXDOT item 360. Field testing for concrete placement shall be performed at the rate of one (1) set of compressive samples per Project Location shown on the Project Plan Cover Page per day of placement. This is found on page 47 of the Bid Specification Packet.
- 3. In "Section 6: Governing Construction Specifications", TXDOT Item 360 Concrete Pavement has been added to the "Standard Specifications". This is found on page 50 of the Bid Specification Packet.
- 4. Clarification: The reinforcing steel applicable to the project, outlined in Table No. 1 on the project plan sheet "Repair of Concrete Pavement REPCP-14" shall follow the requirements for Jointed Reinforced Concrete Pavement (JRCP).
- 5. Clarification: Vendor is required to design a detour plan.
- 6. The "Bid Form" has been updated. The revised "Bid Form" is attached.
- 7. The "Summary of Estimated Quantities" has been updated. The revised "Summary of Estimated Quantities" is attached.



Deborah L. Clark, Purchasing Agent

1149 Pearl Street 1<sup>st</sup> Floor, Beaumont, TX 77701 OFFICE MAIN: (409) 835-8593 FAX: (409) 835-8456

#### **BID FORM**

Bid Item	TXDOT Item	Bid Item Description	Unit	Estimated Quantity	Unit Price	Extended Amount (Total for Line Item)
1	100	Tree Removal (Walker Lane)	EA	2.0	\$	\$
2	104	Remove Concrete Paving	SY	612.0	\$	\$
3	132	10" Compacted Structural Fill in Place (includes excavation, proof rolling, backfill and compaction)	SY	232.0	\$	\$
4	162	Block Sodding in Place	SY	50.0	\$	\$
5	247	8" Compacted Limestone Base in Place	SY	232.0	\$	\$
6	247	10" Compacted Limestone Base in Place	SY	378.4	\$	\$
7	<del>251</del> 361	6" Concrete (HES) in Place	SY	610.4	\$	\$
8	529	Concrete Curb in Place	LF	292.0	\$	\$
<del>-8</del> 9	351	Soft Spot Subgrade Repair (Only as directed by the Engineer)	SY	40.0	\$	\$
10	N/A	Concrete Downspout Pads (Diamond D Drive)	EA	4.0	\$	\$



Deborah L. Clark, Purchasing Agent

1149 Pearl Street 1<sup>st</sup> Floor, Beaumont, TX 77701 OFFICE MAIN: (409) 835-8593 FAX: (409) 835-8456

11	500	Mobilization (MAX 3%)	LS	1.0	\$	\$
12	502	Barricades, Signs and Traffic Handling (Diamond D Drive)	LS	1.0	\$	\$
13	502	Barricades, Signs and Traffic Handling (Walker Lane)	LS	1.0	\$	\$
					TOTAL BID AMOUNT	\$

**BID ITEM NUMBERS** SHALL BE UNDERSTOOD TO MATCH THOSE ON THE BID FORM

## **SUMMARY OF ESTIMATED QUANTITIES**

# **Jefferson County** 2024 Concrete Road Repair Project

				DIAMOND D DRIVE AREA #1-A	DIAMOND D DRIVE AREA #1-B	DIAMOND D DRIVE AREA #1-C	DIAMOND D DRIVE AREA #1-D	WALKER LANE	PROJECT BID TOTALS
Bid Item	TXDOT Item	BID ITEM DESCRIPTION	Uni	t Quantity	Quantity	Quantity	Quantity	Quantity	Quantity
1	100	TREE REMOVAL(WALKER LANE)	EA					2.0	2.0
2	104	REMOVE CONCRETE PAVING	SY	348.5	3.7	5.3	21.0	232.0	610.5
3	132	10" COMPACTED STRUCTURAL FILL IN PLACE (includes excavation, proof rolling, backfill and compaction)	SY					232.0	232.0
4	162	BLOCK SODDING IN PLACE	SY	27.0				23.0	50.0
4_	247	8" COMPACTED LIMESTONE BASE IN PLACE	SY					232.0	232.0
5	247	10" COMPACTED LIMESTONE BASE IN PLACE	SY	348.5	3.7	5.3	20.9		378.4
5	361 <b>25</b> 1	6" CONCRETE (HES) IN PLACE	SY	348.5	3.7	5.3	20.9	232.0	610.4
6	529	CONCRETE CURB IN PLACE	LF	157.0				135.0	292.0
7	351	SOFT SPOT SUBGRADE REPAIR (ONLY AS DIRECTED BY THE ENGINEER)	SY	20.0				20.0	40.0
8	N/A	CONCRETE DOWNSPOUTS (DIAMOND D DRIVE)	EA	4.0					4.0
9	500	MOBILIZATION (MAX 3%)	LS						1.0
10	502	BARRICADES, SIGNS AND TRAFFIC HANDLING (Diamond D Drive)	LS	1.0					1.0
11	502	BARRICADES, SIGNS AND TRAFFIC HANDLING (Walker Lane)	LS					1.0	1.0



## ADDENDUM #2

JEFFERSON COUNTY
ENGINEERING DEPARTMENT
JEFFERSON COUNTY COURTHOUSE
II49 PEARL STREET, 5TH FLOOR
BEALMONT, TEXAS 77701
PHONE: (409) 835-8584. FAX: (409) 835-8718
PROJECT: CONCRETE ROAD REPAIR PROJECT

SHEET 5 OF 14 DRW'N. BY: G.K.

CHK'D. BY:

ESTIMATED QUANTITIES Pag**e)**550f 5